



## CRAFTSMANSHIP ON DISPLAY

**Columbia's Europly** panels elevate the perception of quality in any furniture, millwork or cabinetry project where exposed edges can be incorporated for exceptional results.

Order with confidence, knowing there are a wide variety of **gorgeous face veneers** available. From any angle, the look is a beautiful, premium panel where exposed edges frame the application.

**columbia**  
FOREST PRODUCTS

**Paged**™  
Synergia natury  
i technologii





europly®

[WWW.CFPWOOD.COM](http://WWW.CFPWOOD.COM)

## BALTIC BIRCH FROM A TRUSTED PLATFORM PARTNER IN **POLAND**

Columbia Forest Products has provided **fine decorative hardwood plywood veneer panels** to North American fabricators for over 65 years.

Paged, one of the largest plywood manufacturers in the European Union, specializes in Baltic birch platforms and has been a trusted supplier to Columbia for years.

Together, we provide your choice of hardwood faces on the finest blanks available when exposed edges are desired.

**columbia**  
FOREST PRODUCTS®

**Paged**™  
Synergia natury  
i technologii




EUROPLY PROPERTIES <sup>2</sup>		
Panel specification	1/2" 9 ply Birch	3/4" 13 ply Birch
Hardness (lbf)	1,403	1,308
Density (lbs/ft <sup>3</sup> )	44	44
Parallel MOE/MOR (psi)	1,166,170/10,596	1,226,630/11,353
Perpendicular MOE/MOR (psi)	1,329,910/12,589	1,441,010/12,518
Screw Holding - Face/Edge (lbs)	721/511	620/442
Internal Bond (psi)	278	393
Water Absorption (%)	28.3	25.2
Thickness Swell (%)	7.4	6.5
Linear/Width Expansion (%)	0.09/0.12	0.06/0.17
Weight (lbs) 4' x 8' sheet	57	85



<sup>1</sup>Below the Limit of Quatification: Europly Panels have had an average emission test rating of 0.0033 ppm over the past two years.

<sup>2</sup>Test samples were constructed with rotary maple face and back. Test results for hardness can differ depending on density of decorative veneer. Wood is natural and variable to a certain extent. Test data is for informational purposes and does not represent a claim by Columbia that identical panel assemblies meet these properties in the field.

**EUROPLY TEST RESULTS COMPARED TO EMISSION LIMITS**



Eastern US: Chatham  
800-237-2428

Eastern US: Old Fort  
800-438-6069

Western US & Canada  
800-547-1791

Northeastern US & Canada  
888-664-1964 • 1 888-525-1964







## FEATURES & BENEFITS

- Superior Physical Properties:**  
 Europly “two-step” production ensures a smooth surface with very little undulation in 4’ grain direction and virtually void-free core to improve on grade throughput; all with superior performance attributes over standard domestic veneer core production.
- HP-1 Domestic Plywood Grades:**  
 All panels manufactured to the ANSI HP-1 Hardwood Plywood Standard called for in premium and custom construction quality options in North American architectural woodworking standards.
- USGBC LEED Credit Support: Responsible Sourcing of Raw Materials:** Europly can be ordered FSC Mix to support responsible forestry as verified by an independent third party certification program with chain of custody assurance.
- USGBC® LEED® Credit Support: Low-Emitting Materials:** Columbia panels are certified as CARB and TSCA Title VI Compliant by a third party certifier, Capital Testing.
- Core Thickness Options:** 1/2” 9 ply and 3/4” 13 ply platforms available. For other thickness options, inquire with sales.

FEATURING **PATCH-FREE**, DECORATIVE FACES AND BACKS FROM ALDER TO WALNUT.

EUROPPLY PLATFORMS ARE SOURCED FROM **PAGED’S TWO EUROPEAN PLANTS** IN POLAND.



MULTIPLE PLYS OF **BIRCH VENEER** RENDER AN AESTHETICALLY BEAUTIFUL EDGE APPEARANCE.



FOR MORE INFORMATION, PLEASE CALL ONE OF THE REGIONAL NUMBERS LISTED OR VISIT [WWW.CFPWOOD.COM](http://WWW.CFPWOOD.COM)



**Eastern US: Chatham**  
800-237-2428

**Eastern US: Old Fort**  
800-438-6069

**Western US & Canada**  
800-547-1791

**Northeastern US & Canada**  
888-664-1964 • 1 888-525-1964

**columbia**  
FOREST PRODUCTS