



CRAFTSMANSHIP ON DISPLAY

Columbia's Europly panels elevate the perception of quality in any furniture, millwork or cabinetry project where exposed edges can be incorporated for exceptional results.

Order with confidence, knowing there are a wide variety of **gorgeous face veneers** available. From any angle, the look is a beautiful, premium panel where exposed edges frame the application.

columbia
FOREST PRODUCTS

Paged™
Synergia natury
i technologii



europly®

WWW.CFPWOOD.COM

BALTIC BIRCH FROM A TRUSTED PLATFORM PARTNER IN **POLAND**

Columbia Forest Products has provided **fine decorative hardwood plywood veneer panels** to North American fabricators for over 65 years.

Paged, one of the largest plywood manufacturers in the European Union, specializes in Baltic birch platforms and has been a trusted supplier to Columbia for years.

Together, we provide your choice of hardwood faces on the finest blanks available when exposed edges are desired.

columbia
FOREST PRODUCTS®

Paged™
Synergia natury
i technologii




EUROPLY PROPERTIES ²		
Panel specification	1/2" 9 ply Maple	3/4" 13 ply Maple
Hardness (lbf)	1,403	1,308
Density (lbs/ft ³)	44	44
Parallel MOE/MOR (psi)	1,166,170/10,596	1,226,630/11,353
Perpendicular MOE/MOR (psi)	1,329,910/12,589	1,441,010/12,518
Screw Holding - Face/Edge (lbs)	721/511	620/442
Internal Bond (psi)	278	393
Water Absorption (%)	28.3	25.2
Thickness Swell (%)	7.4	6.5
Linear/Width Expansion (%)	0.09/0.12	0.06/0.17
Weight (lbs) 4' x 8' sheet	57	85



¹Below the Limit of Quatification: Europly Panels have had an average emission test rating of 0.0033 ppm over the past two years.

²Test samples were constructed with rotary maple face and back. Test results for hardness can differ depending on density of decorative veneer. Wood is natural and variable to a certain extent. Test data is for informational purposes and does not represent a claim by Columbia that identical panel assemblies meet these properties in the field.

EUROPLY TEST RESULTS COMPARED TO EMISSION LIMITS



Eastern US: Chatham
800-237-2428

Eastern US: Old Fort
800-438-6069

Western US & Canada
800-547-1791

Northeastern US & Canada
888-664-1964 • 1 888-525-1964





FEATURES & BENEFITS

- **Superior Physical Properties:** Europly “two-step” production ensures a smooth surface with very little undulation in 4’ grain direction and virtually void-free core to improve on grade throughput; all with superior performance attributes over standard domestic veneer core production.
- **HP-1 Domestic Plywood Grades:** All panels manufactured to the ANSI HP-1 Hardwood Plywood Standard called for in premium and custom construction quality options in North American architectural woodworking standards.
- **USGBC LEED Credit Support: Responsible Sourcing of Raw Materials:** Europly can be ordered FSC Mix to support responsible forestry as verified by an independent, third-party certification program with chain of custody assurance.
- **USGBC® LEED® Credit Support: Low-Emitting Materials:** Columbia panels are certified as CARB and TSCA Title VI Compliant by a third party certifier, Capital Testing and Certification Services.
- **Core Thickness Options:** 1/2 9 ply and 3/4 13 ply thicknesses available. For other thickness options, inquire with sales.

FEATURING **PATCH-FREE**, DECORATIVE FACES AND BACKS FROM ALDER TO WALNUT.

EUROPPLY PLATFORMS ARE SOURCED FROM **PAGED’S TWO EUROPEAN PLANTS** IN POLAND.



MULTIPLE PLYS OF **BIRCH VENEER** RENDER AN AESTHETICALLY BEAUTIFUL EDGE APPEARANCE.



FOR MORE INFORMATION, PLEASE CALL ONE OF THE REGIONAL NUMBERS LISTED OR VISIT WWW.CFPWOOD.COM



Eastern US: Chatham
800-237-2428

Eastern US: Old Fort
800-438-6069

Western US & Canada
800-547-1791

Northeastern US & Canada
888-664-1964 • 1 888-525-1964

columbia
FOREST PRODUCTS™